

Search History. 1/30/05. *[Signature]* (12 pp.)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2489	((257/79) or (257/89) or (257/98) or (257/100)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/30 14:38
L2	334	1 and (seal\$3 encapsula\$4) and epoxy near4 resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 14:52
L3	8	1 and (seal\$3 encapsula\$4) and epoxy near4 resin near10 (phosphor luminscen\$2) and (dye dyeing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 15:00
L4	3	"221789".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 15:02
L5	0	(2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:02
L6	0	("US20010000622").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:02
L7	0	(US2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:03
L8	0	(US2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:03
L9	2	("20010000622").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:15
L10	0	("wo-9750132\$-\$\$.did.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:15

L11	2	wo-9750132\$-\$\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:54
L12	33012	anthraquinone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:55
L13	14792	anthraquinone.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:55
L14	42	anthraquinone.ti,ab,clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:57
L15	14	anthraquinone.ti,ab,clm. and "257"/\$9.ccls. and colo\$1r	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:58
L16	1	color near4 anthraquinone.ti,ab, clm. and "257"/\$9.ccls. and colo\$1r	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:59
L17	1	color near4 anthraquinone.ti,ab, clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:09
L18	0	color near4 perinone.ti,ab,clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:10
L19	1	color near4 perinone.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:18
L22	0	azu near4 spectrum near4 color.ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:21

L23	0	azu near10 spectrum near10 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:22
L24	0	azu near22 spectrum near22 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:22
L25	8	azo near22 spectrum near22 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:49
L26	10	(correct corrected correcting adjust adjusted adjusting adjustment) near10 (color colour) near10 (dye dyes) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:50
L27	29	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$ or US-20040036081-\$ or US-20040188697-\$).did. or (US-4152624-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$ or US-6809342-\$ or US-6835958-\$ or US-6812500-\$). did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-2004161863-\$ or JP-59062624-\$ or JP-2000208269-\$).did. or (WO-2004019422-\$ or US-20040046178-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/30 18:27
L28	1	27 and "372"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 18:28

L29	11517	((257/79) or (257/8\$1) or (257/9\$1) or (257/100) or (257/101) or (257/102) or (257/103) or (372/23) or (372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/30 18:30
L30	87	29 and (phosphor fluorescen\$2) and resin and (light adj emitting adj (device diode) laser) and dye and (encapsulant encapsulating encapsulate seal selant sealing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 18:32
S1	13	light adj emitting adj (device diode).ti,ab,clm. and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:45
S2	0	light adj emitting adj (device diode).ti,ab,clm. and thermosetting adj epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:46
S3	0	light adj emitting adj (device diode).ti,ab,clm. and thermosetting near6 epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:46
S4	0	light adj emitting adj (device diode).ti,ab,clm. and thermosetting near12 epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:46
S5	13	light adj emitting adj (device diode).ti,ab,clm. and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:00
S6	1	"6335548".pn. and resin and epox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:47
S7	26	light adj emitting adj (device diode) and encapsulant and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:01
S8	9	light adj emitting adj (device diode) and transparent near8 encapsulant and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:14

S9	2	jp-59062624\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:46
S10	37	((pigment tint dye) near6 absorb\$3) complementary adj colo\$1r) and light adj emitting adj (diode element device) and encapsulant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:48
S11	30	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsulant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:53
S12	92	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:53
S13	64	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3) not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:54
S14	7	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3) not S11) and 257\$9. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:57
S15	0	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) near6 (light-emitting light adj emitting led) and encapsul\$3 and 257\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:59
S16	0	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) near6 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 12:00
S17	0	((pigment tint dye) near16 (absorb\$3 complementary adj colo\$1r)) near16 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 12:02

S18	9	((pigment tint dye colo\$1r) near16 (absorb\$3 complementary adj colo\$1r)) near16 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 12:02
S19	19	(US-6521915-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6656608-\$ or US-4152624-\$ or US-6661029-\$).did. or (US-20040046178-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20040070338-\$ or US-20040090161-\$ or US-20020004251-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$ or JP-59062624-\$). did.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/22 12:39
S20	3	"648224".ap.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/22 12:51
S21	37	surface near6 (phosphor phosphorescent) near6 (white adj light encapsulant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:05
S22	291	257/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:10
S23	64	"YAG:Ce" near6 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11
S24	62	"YAG:Ce" near3 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11
S25	43	"YAG:Ce" near1 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11

S26	4	"648224".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:25
S27	1	sano.in. and masaki.in. and "citizen"	JPO; DERWENT	OR	OFF	2004/08/21 14:31
S28	291	(257/89).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:35
S29	1730	(257/98).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S30	538	(257/100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S31	2296	((257/89).CCLS.) ((257/98).CCLS.) ((257/100).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S32	10	(((257/89).CCLS.) ((257/98).CCLS.) ((257/100).CCLS.)) and transparent near4 resin and phosphor and (filter dye)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:50
S33	2	jp-05152609\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:56
S34	9512	257/79.ccls. 257/8\$1.ccls. 257/9\$1. ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:57
S35	17	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 (dye colo\$1r adj filter) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 15:57

S36	21	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 (dye colo\$1r adj filter) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:01
S37	3	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and transparent adjresin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:01
S38	0	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:02
S39	0	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and epoxy adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:05
S40	142	red adj phosphor and blue near2 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S41	39	red adj phosphor and blue near2 filter and white adj light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S42	11	red adj phosphor and blue near2 filter and white adj light and light adj emitting adj (diode device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S43	1	red adj phosphor and blue near2 filter and white adj light and light adj emitting adj (diode device) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:34
S44	3	red adj phosphor and blue near2 filter and light adj emitting adj (diode device) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:36

S45	23	red adj phosphor and blue near2 filter and light adj emitting adj (diode device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:37
S46	5	red adj phosphor and blue near2 filter and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:38
S47	6	red near2 phosphor and blue near2 filter and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:55
S48	47	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:56
S49	37	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:56
S50	4	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:00
S51	1	yellow adj phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:00
S52	0	orange adj phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:01
S53	21	phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:01

S54	15	(US-6521915-\$ or US-6661029-\$ or US-6656608-\$ or US-6335548-\$ or US-5874803-\$ or US-6137459-\$). did. or (US-20040046178-\$ or US-20040070338-\$ or US-20010030326-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010050371-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/21 17:14
S55	5	((US-6521915-\$ or US-6661029-\$ or US-6656608-\$ or US-6335548-\$ or US-5874803-\$ or US-6137459-\$). did. or (US-20040046178-\$ or US-20040070338-\$ or US-20010030326-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010050371-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$).did.) and pigment and phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 17:24
S56	13	light adj emitting adj (diode device element).ti,ab,clm. and transparent adj resin same (phosphor fluorescent) and (pigment dye) and chromaticity and white adj light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 17:26
S57	4	"648224".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:21
S58	3	("6335548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:21

S59	20	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$).did. or (US-4152624-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$).did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-59062624-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/29 16:34
S60	11	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$).did. or (US-4152624-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$).did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-59062624-\$).did.	USPAT; EPO; JPO	OR	OFF	2005/01/29 16:34
S61	4	S60 and dye and phosphor\$3	USPAT; EPO; JPO	OR	OFF	2005/01/29 16:38
S62	3	S60 and dye and phosphor\$3 and white adj light	USPAT; EPO; JPO	OR	OFF	2005/01/29 17:13
S63	3	S60 and dye and phosphor\$3 and white adj light	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/29 17:13
S64	0	(correction correcting correct tune tuning adjust adjusting adjustment) near2:(chromaticity color spectrum spectra) near10 dye and phosphor adj particle and epoxy adj resin near4 (seal sealing sealant) and light adj emitting adj (diode device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:16

S65	1	(correction correcting correct tune tuning adjust adjusting adjustment) near2 (chromaticity color spectrum spectra) near10 dye and phosphor adj particle and light adj emitting adj (diode device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:24
S66	3	(seal sealant sealing) near4 (epoxy adj resin) and light adj emitting adj device and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:34
S67	3	(seal sealant sealing) near4 (epoxy near4 resin) and light adj emitting adj device and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:34
S68	3	(seal sealant sealing) near4 (epoxy near4 resin) and (LED light adj emitting adj device).ti,ab,clm. and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:35
S69	8	(seal sealant sealing) near4 (epoxy near4 resin) and (LED light adj emitting adj device).ti,ab,clm. and phosphor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:35
S70	46	(seal sealant sealing) near10 (epoxy near4 resin) and light adj emitting adj (diode device) and phosphor and (dye dyeing color colour coloring colouring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 20:54